

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

217864US2PCT

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

10/031340

INTERNATIONAL APPLICATION NO.
PCT/CH99/00338INTERNATIONAL FILING DATE
22 July 1999PRIORITY DATE CLAIMED
None

TITLE OF INVENTION

TRANSACTION METHOD AND DEVICES SUITABLE THEREFOR

APPLICANT(S) FOR DO/EO/US

LAUPER Eric et al.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☒ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☒ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☒ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☒ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☐ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210).

Items 13 to 20 below concern document(s) or information included:

13. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☒ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☒ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
22. ☐ Certificate of Mailing by Express Mail
23. ☒ Other items or information:

Form PTO-1595/Drawings (2 sheets)/Form PTO-1449
Amended Sheets (Pages 1, 1a, 12, 13, and 14)

U.S. APPLICATION NO. IF KNOWN, SEE 37 CFR 1.531 10/031340		INTERNATIONAL APPLICATION NO. PCT/CH99/00338		ATTORNEY'S DOCKET NUMBER 217864US2PCT	
---	--	--	--	---	--


24. The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) : <input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1040.00 <input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00 <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$710.00 <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 <div style="text-align: right;">ENTER APPROPRIATE BASIC FEE AMOUNT =</div>				CALCULATIONS PTO USE ONLY	
				\$890.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (e)).				\$0.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	17 - 20 =	0	x \$18.00	\$0.00	
Independent claims	2 - 3 =	0	x \$84.00	\$0.00	
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>				\$0.00	
TOTAL OF ABOVE CALCULATIONS =				\$890.00	
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27). The fees indicated above are reduced by 1/2.				\$0.00	
SUBTOTAL =				\$890.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).				\$0.00	
TOTAL NATIONAL FEE =				\$890.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input checked="" type="checkbox"/>				\$40.00	
TOTAL FEES ENCLOSED =				\$930.00	
				Amount to be:	\$
				refunded	\$
				charged	\$

a.	<input checked="" type="checkbox"/>	A check in the amount of <u>\$930.00</u> to cover the above fees is enclosed.
b.	<input type="checkbox"/>	Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees. A duplicate copy of this sheet is enclosed.
c.	<input checked="" type="checkbox"/>	The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>15-0030</u> A duplicate copy of this sheet is enclosed.
d.	<input type="checkbox"/>	Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Surinder Sachar
Registration No. 34,423



22850

Surinder Sachar

SIGNATURE

Marvin J. Spivak

NAME

24,913

REGISTRATION NUMBER

Jan 18 2002

DATE

10/031340

531 Rec'd PCT/PTC 18 JAN 2002

217864US2-PCT

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF:

:

ERIC LAUPER ET AL

: ATTN: APPLICATION DIVISION

SERIAL NO: NEW U.S. PCT APPLICATION :
(Based on PCT/CH99/00338)

FILED: HERewith

: EXAMINER:

FOR: TRANSACTION METHOD AND :
DEVICES SUITABLE THEREFOR

PRELIMINARY AMENDMENT

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Prior to a first examination on the merits, please amend the above-identified
application as follows:

IN THE CLAIMS

Please cancel Claims 1-17 without prejudice.

Please add new Claims 18-34 as follows:

18. (New) A transaction method in which object picture data relating to a transaction
object are made visible to a user, in which eye features of the user are determined and in
which the determined eye features are linked in a transaction record to object data relating to
the transaction object and containing at least an object identification of the transaction object,
and the transaction record is transmitted to a processing unit, wherein

#3/
a

2003-01-18 10:00

the eye features of the user are determined while the object picture data, made visible, is being viewed by the user.

19. (New) The transaction method according to claim 18, wherein the object picture data are made visible to the user by picture signals corresponding to the object picture data being projected directly on a retina of the user.

20. (New) The transaction method according to claim 18, wherein the eye features are determined by light reflected by eye parts being captured in at least a partial region of these eye parts and being conducted to a light-sensitive element.

21. (New) The transaction method according to claim 19, wherein the eye features include at least a retinal pattern of one retina of the user, reflection data are determined from captured light, which light is reflected by the retina based on the projected picture signals, and the retinal pattern is determined from the determined reflection data and associated object picture data.

22. (New) The transaction method according to claim 19, wherein the eye features include at least a retinal pattern of one retina of the user, which retinal pattern is determined from captured light, which light is reflected by the retina based on projected light, which projected light contains other wavelengths than the picture signals.

23. (New) The transaction method according to claim 19, wherein determined in the processing unit are user data, which are associated with the eye features.

24. (New) The transaction method according to claim 18, wherein the object data further contain an object provider identification.

25. (New) The transaction method according to claim 18, wherein the transaction records are transmitted by a telecommunications network to a processing unit in a service center.

26. (New) The transaction method according to claim 18, wherein the object picture data are obtained from a service center over a telecommunications network.

27. (New) A device having display means to make visible to a user object picture data relating to a transaction object, which device includes means for determining eye features of the user and includes means of linking in a transaction record the determined eye features with object data relating to the transaction object, the object data containing at least an object identification, and of forwarding the transaction record to a processing unit, wherein

the device is configured such that the eye features are determined while the object picture data, made visible, are being viewed by the user.

28. (New) The device according to claim 27, wherein the display means include a retinal display device, which retinal display device makes visible to the user the object picture data by projecting picture signals corresponding to the object picture data directly on a retina of the user.

29. (New) The device according to claim 27, wherein the means for determining eye features include a scanner to capture light reflected by eye parts at least in a partial region of these eye parts.

30. The device according to claim 29, wherein the scanner is configured to capture at least the light reflected by one retina of the user, which light is reflected by the retina based on projected picture signals, and the device includes a retina determining module to

determine at least a retinal pattern of one retina from captured reflection data corresponding to the captured light and from associated object picture data.

31. (New) The device according to claim 29, wherein the scanner includes a light source, which light source beams light containing other wavelengths than the picture signals, and the scanner is configured to capture at least the light reflected by one retina of the user, which light is reflected by the retina based on projected light from a light source.

32. (New) The device according to claim 27, further comprising a processing unit, which processing unit determines user data which are associated with the eye features.

33. (New) The device according to claim 27, further comprising a communications module to transmit the transaction record by a telecommunications network to a processing unit in a service center.

34. (New) The device according to claim 33, wherein the communications module obtains the object picture data from a service center by a telecommunications network.

IN THE ABSTRACT

Please amend the Abstract on page 16 as follows:

Abstract

A transaction method, a service center, and a device for carrying out the transaction method. In the transaction method object picture data relating to a transaction object, for example a product or a service, are made visible to a user, for instance by projecting image signals corresponding to the object picture data directly on the retina of the user. Eye features of the user are determined while the object picture data, made visible, are viewed by him/her, for example by the light being captured that is reflected by the retina owing to the

projected image signals and retina patterns of the user being determined from the determined reflection data and the associated object picture data. The determined eye features with object data relating to the transaction object are linked in a transaction record and the transaction record is forwarded to a processing unit.

REMARKS

Favorable consideration of this application, as presently amended, is respectfully requested.

The present preliminary amendment is submitted to place the above-identified application in more proper format under United States practice.

By the present preliminary amendment Claims 1-17 are cancelled and new Claims 18-34 are presented for examination. New Claims 18-34 are deemed to be self-evident from the original disclosure, including canceled Claims 1-17, and thus are not deemed to raise any issues of new matter. Further, no differences between new Claims 18-34 and canceled Claims 1-17 is believed to narrow the scope of new Claims 18-34.


The Abstract has also been amended by the present response to be in more proper format under United States practice.

The present application is believed to be in condition for a full and thorough examination on the merits. An early and favorable consideration of the present application is

hereby respectfully requested.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier
Attorney of Record
Registration No. 25,599
Surinder Sachar
Registration No. 34,423



22850

(703) 413-3000
Fax No.: (703)413-2220
SNS/rac
I:\atty\SNS\217864US-PR.wpd

Docket No. 217864US2PCT
IN RE APPLICATION OF: Eric LAUPER et al.
SERIAL NO: New U.S. PCT Application (Based on PCT/CH99/00338)4
FILED: HEREWITH
FOR: TRANSACTION METHOD AND DEVICES SUITABLE THEREFOR

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:

Transmitted herewith is an amendment in the above-identified application.

- ☒ No additional fee is required
- ☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.
- ☒ Additional documents filed herewith: PCT Transmittal Letter/Declaration/English Translation of Specification
International Search Report/PTO Form-1595/PTO Form-1449/Information
Disclosure Statement/Amended Sheets (Pages 1, 1a, 12, 13 and 14)
Drawings (2 sheets)/Assignment/Check for \$930.00

The Fee has been calculated as shown below:

CLAIMS	CLAIMS REMAINING		HIGHEST NUMBER PREVIOUSLY PAID	NO. EXTRA CLAIMS	RATE	CALCULATIONS
TOTAL	17	MINUS	20	0	× \$18 =	\$0.00
INDEPENDENT	2	MINUS	3	0	× \$84 =	\$0.00
		<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+ \$280 =	\$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment			+ \$40 =	\$0.00
		TOTAL				\$0.00

- ☐ A check in the amount of \$0.00 is attached.
- ☒ Please charge any additional Fees for the papers being filed herewith and for which no check is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.
- ☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Surinder Sachar

Marvin J. Spivak
Registration No. 24,913

Surinder Sachar
Registration No. 34,423



22850

Customer Number 22850
Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 10/01)

10/031340

531 Rec'd PCT/P 18 JAN 2002

Docket No. 217864US2PCT

IN RE APPLICATION OF: Eric LAUPER et al.

SERIAL NO: New U.S. PCT Application (Based on PCT/CH99/00338)4

FILED: HEREWITH

FOR: TRANSACTION METHOD AND DEVICES SUITABLE THEREFOR

ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

SIR:


Transmitted herewith is an amendment in the above-identified application.

- ☒ No additional fee is required
- ☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.
- ☒ Additional documents filed herewith: PCT Transmittal Letter/Declaration/English Translation of Specification
International Search Report/PTO Form-1595/PTO Form-1449/Information
Disclosure Statement/Amended Sheets (Pages 1, 1a, 12, 13 and 14)
Drawings (2 sheets)/Assignment/Check for \$930.00

The Fee has been calculated as shown below:

CLAIMS	CLAIMS REMAINING		HIGHEST NUMBER PREVIOUSLY PAID	NO. EXTRA CLAIMS	RATE	CALCULATIONS
TOTAL	17	MINUS	20	0	× \$18 =	\$0.00
INDEPENDENT	2	MINUS	3	0	× \$84 =	\$0.00
		<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+ \$280 =	\$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment			+ \$40 =	\$0.00
		TOTAL				\$0.00

- ☐ A check in the amount of **\$0.00** is attached.
- ☒ Please charge any additional Fees for the papers being filed herewith and for which no check is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.
- ☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.Marvin J. Spivak
Registration No. 24,913Surinder Sachar
Registration No. 34,423

22850

Customer Number 22850
Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 10/01)

10/031340

531 Rec'd PCT/PT 18 JAN 2002

217864US2-PCT

Marked-Up Copy

Serial No: _____

Amendment Filed on:
1-18-2002

IN THE CLAIMS

Claims 1-17 (Cancelled).

Claims 18-34 (New).

IN THE ABSTRACT

Please amend the Abstract on page 16 as follows:

--Abstract

[Transaction] A transaction method, [and] a service center [(2) suitable therefor], and a [suitable] device [(4)] for carrying out [this] the transaction method[, in which] . In the transaction method object picture data relating to a transaction object [(110)], for example a product or a service, are made visible to a user, for instance by projecting image signals corresponding to the object picture data [(120)] directly on the retina [(51)] of the user[, eye] . Eye features of the user [being] are determined while the object picture data, made visible, are viewed by him/her, for example by the light [(171)] being captured that is reflected by the retina [(51)] owing to the projected image signals and retina patterns [(180)] of the user being determined from the determined reflection data [(170)] and the associated object picture data [(120), the] . The determined eye features [(180)] with object data [(130)] relating to the transaction object [(110) being] are linked in a transaction record [(190)] and the transaction record [(190) being] is forwarded to a processing unit [(23)].

[(Figure 1)]--

100440 "011802"

Transaction Method and Devices Suitable Therefor

The present invention relates to a transaction method and devices suitable therefor. In particular, the present invention relates to a transaction method and devices suitable therefor in which transaction method data for
5 identification of a user are linked in a transaction record to an object identification for a transaction object, for example a product or a service, and the transaction record is transmitted to a processing unit.

In known transaction methods involving a user, for example ordering transaction methods in which customers transmit orders for products and/or
10 services to a service center, the user typically has to identify himself with an identification module, for instance a credit card, a customer card or an SIM card (Subscriber Identification Module), and/or with a personal code (password, PIN number). The drawback of these methods is that the identification modules can be lost or stolen, so that even if use by unauthorized persons is made more
15 difficult through the additional personal code, the problem nevertheless still exists that a respective user is not able to correctly identify himself again until he has received a replacement module. Moreover many users are finding it difficult to carry around with them the continuously growing number of identification modules and to remember the personal codes belonging thereto.

20 Described in the patent publication US 5,359,669 is a scanner which can be operated in alternative modes such that it captures the retina pattern of a user in a first mode and projects pictures on the retina for the user in a second mode. According to U.S. 5,359,669, the captured retinal pattern is transmitted to a remote unit for identification purposes, whereby a secured communications
25 system can be achieved.

Described in the patent application WO 98/09227 is a method and a system for carrying out transactions in which a biometric feature of a user, in particular a retinal pattern, is captured, after the user has been offered a transaction object by the vendor. According to WO 98/09227, the captured
30 biometric feature of the user is transmitted in a transaction record to a computer system. The user is identified in the computer system on the basis of

AMENDED PAGE

the received biometric feature, and, in the case of positive identification, the transaction is carried out.

It is an object of this invention to propose a new and better transaction method involving a user as well as devices suitable therefor which, in particular, do not have the mentioned drawbacks.

According to the invention, this object is achieved in particular through the elements of the independent claims. Further advantageous embodiments follow moreover from the dependent claims and from the description.

This object is achieved through the present invention in particular in that object picture data relating to a transaction object, for example a product or a service, are made visible to a respective user, eye features of the user are determined while the object picture data, made visible, are viewed by the user, and the determined eye features are linked in a transaction record to object data relating to the transaction object and containing at least an object identification, which transaction record can then be forwarded to a processing unit. The advantage of this transaction method consists in that eye features are used as biometric identification means, and thus no conventional

20

25

AMENDED PAGE

identification module has to be carried around anymore by the user and no additional personal codes have to be remembered. The object picture data make it possible moreover for the user to visualize the respective transaction object, for example in the form of two or three-dimensional pictures, in the form of a graphic, in the form of a written text or by means of a combination of these different forms.

In a preferred embodiment variant, the object picture data are made visible to the user by picture signals corresponding to these object picture data being projected directly on the retina of the user. Depending upon the embodiment, picture signals can be projected on the retina of one eye or on the retina of both eyes, the projection on the retina of both eyes being advantageous for spatial (three-dimensional) illustrations and making possible stereoscopic perception.

The eye features are preferably determined in that light reflected by eye parts, for example the iris or the retina, is captured from at least a partial region of these eye parts and transmitted to a light-sensitive element. Depending upon the embodiment variant, there exists the possibility of capturing eye features of eye parts of both eyes or of only one eye.

In a preferred embodiment variant, the eye features include at least the retinal pattern for one retina of the respective user, the retinal pattern being determined from the determined reflection data and the associated object picture data, in particular by means of a subtraction operation, the reflection data being determined from captured light, which light is reflected by the retina on the basis of the projected picture signals corresponding to the object picture data. This embodiment variant has the advantage that, in an inseparable step ("atomic function"), the data for identification of a user result during the viewing by the user of the picture data, made visible, for the transaction object. The determined reflection data namely represent an (optical) linking of the picture data for the transaction object, which are projected directly on the retina of the user by means of corresponding picture signals, and the retinal pattern (or patterns) of this user. The determination of the actual retinal pattern from the reflection data be carried out in a processing unit that is located in a local, e.g. mobile, device with the user or in a service center remote from the user. In the latter case, the transaction records are transmitted to a processing unit of this

service center via a telecommunications network, for example a fixed network or a mobile network, for instance a GSM or a UMTS or another, e.g. satellite-based, mobile radio network. In corresponding embodiment variants, the object picture data are obtained from a service center via a telecommunications
5 network, for example a fixed or a mobile radio network, for instance a GSM or a UMTS or another, e.g. satellite-based, mobile radio network.

For further processing of the transaction record, user data are preferably determined in the processing unit which are associated with the eye features, these user data containing, for example, the name, the delivery address, a
10 billing mode and, if applicable, a billing address and possible further data relating to the user.

In an embodiment variant, the object data contain in addition an object provider identification. This has the advantage that the transaction record contains not only data for identification of a respective user and a respective
15 transaction object, but also identifies at the same time the service provider responsible for the transaction object, for example the service provider from whom a product or a service can be obtained or who is responsible for the financial transaction that has been made visual for the user by means of the corresponding object picture data, so that the object identification for the
20 transaction object and user data relating to the interested user can be passed on to this service provider, for instance as an object order or as a financial transaction.

Besides the transaction method according to the invention, the present invention also relates in particular to a device and a service center for carrying
25 out this transaction method.

An embodiment of the present invention will be described in the following with reference to an example. The example of the embodiment is illustrated by the following attached figures:

Figure 1 shows a data flow chart in which a possible data / signal flow of
30 the transaction method according to the invention is illustrated diagrammatically, and

Figure 2 shows a block diagram in which illustrated schematically are a device and a service center connected to this device via a telecommunications network for carrying out the transaction method according to the invention.

- The reference numeral 110 in Figure 1 refers to a transaction object which is stored in an object database 27 and which contains data about objects such as products or services. The transaction object 110 contains object data 130 that include an object identification 131 and an object provider identification 132, the object provider identification 132 identifying the provider of the respective product, or the service provider for the respective service.
- The transaction object 110 contains in addition object picture data 120, i.e. a file with digital, e.g. compressed, picture data relating to a transaction object 110, for instance a picture of a product offered for sale or an explanatory graphic about an offered service, and which can be made visible to an interested user, for instance in the form of a two- or three-dimensional picture, in the form of a graphic, in the form of a written text or as a combination of these different forms as moving (video) or still pictures. In a variant, the picture data also contain in addition audio data (multimedia data), which can be reproduced for the interested user by means of suitable electro-acoustical converters.
- Via a telecommunications network 3, for example a fixed network or a mobile network, for instance a GSM, UMTS or another, e.g. satellite-based, mobile radio network, a user of the device 4 can obtain transaction objects 110 from an object database 27 of a service center 2, or directly from an object database 27 of an object provider 7, or respectively of a service provider 7, for example by means of a suitable browser, for instance a WAP (Wireless Application Protocol)-based browser, or another suitable programmed software module, and with the aid of a communications module 41, as illustrated in Figure 2. Transaction objects 110 on a removable data carrier, for instance a CD ROM, can also be loaded into the device 4, however. The communications module 41 includes all hardware and software components to be able to communicate with other units via the telecommunications network 3, i.e. especially to exchange data. The communications module 41 is designed for a fixed or mobile network depending upon whether the device 4 is designed as a fixed-installed device, for instance in the form of a terminal accessible to the public, or as a mobile device.

As shown in Figure 1, in step S1, the object picture data 120 are taken from a received transaction object 110, and picture signals 121 corresponding to the object picture data are projected directly on the retina 51 of the user, picture signals 121 being projected on the retina 51 of one or both eyes 5 of the
5 respective user, depending upon the embodiment. For this purpose, the device 4 includes a (virtual) retinal display device 46, as is shown in Figure 2.

A virtual retinal display device (Virtual Retinal Display, VRD), which is able to project picture signals directly on the retina 51 of a viewer, has been described, for example, in the patent applications WO 94/09472, WO 97/37339
10 and WO 98/13720. Via a video interface, these virtual retinal display devices can be supplied with picture data, for example in the form of an RGB signal, an NTSC signal, a VGA signal or another formatted color or monochrome video or graphic signal. One skilled in the art will understand that it can be advantageous to adapt the virtual retinal display device described in the
15 mentioned patent publications WO 94/09472, WO 97/37339, and WO 98/13720, or respectively the video interface described there, in such a way that other formats of picture data can be received efficiently. By means of an interface module (not shown), however, received object picture data can also be suitably adapted to the video interface, or respectively received object
20 picture data 120 can be converted in such that they can be applied to the video interface and be made visible to the user by means of the virtual retinal display device 46.

As shown schematically in Figure 2, the virtual retinal display device 46 includes an eye position determining module 461, which can determine current
25 eye positions of the user during the viewing of pictures. An eye position determining module (eye tracker) which can determine current eye positions based on the position of the pupil 52 of a viewer has also been described in the above-mentioned patent application WO 94/09472, and can be extended by one skilled in the art such that the determined eye position is available for other
30 components of the device 4 via a suitable interface, in particular components situated outside the virtual retinal display device 46; depending upon the embodiment, values for both eyes can be made available. Determined current eye positions can be used, for instance, to control the projection of the picture signals 121 on the retina 51, for example such that the picture regions viewed
35 by the user come to lie on the region of the retina with the highest resolution,

the fovea centralis, or they can be compared with predefined position values, and in the case of agreement between current and predefined eye positions, predefined functions can be carried out so that an actual optical user interface controllable through eye positions can be defined, the predefined positions
 5 being able to be shown to the user pictorially, for instance in the form of conventional GUI objects (Graphical User Interface).

In step S2, in Figure 1, the light 171 reflected on the basis of the above-mentioned picture signals 121 on the retina 51 is captured, and reflection data 170 is generated from the registered light values. As is shown in Figure 2, the
 10 device 4 includes for this purpose a suitable scanner 47, which conducts the light reflected by the retina 51 to (at least) one light-sensitive element 472, for instance by means of a beam splitter 471. Such a scanner, which can also be designed for multicolored pictures and is suitable for recording retinal patterns, in particular patterns formed by the veins, has been described, for instance, in
 15 the above-mentioned patent application WO 98/13720. Since the picture signals corresponding to the object picture data 120 are projected on the retina 51 by the virtual retinal display device 46, for example by a suitable mirror, movable microelectro-mechanically, in a grid of picture points 54, the reflected light beams 171 conducted via the beam splitter 471 to the (at least one) light-
 20 sensitive element 472 correspond to the same grid of reflected picture points 54, so that associated reflection data 170 corresponding to the object picture data 120 can be captured.

The light values registered in the light-sensitive element(s) 472 are digitalized, for instance in the data creating module 45, and, in step S3, the
 25 retinal pattern 180 is generated from the reflection data 170 thus obtained and from the corresponding associated object picture data 120, as shown in Figure 1, in particular by means of a subtraction operation. Step S3 can be carried out sequentially for each projected/reflected picture point 54 or not until reflection data 170 exist for all projected/reflected picture points 54. The data creating
 30 module 45 is, for example, a programmed software module implemented on a processor of the device 4 or a hardware module, for instance an integrated circuit, or a combination of the two. In a variant, the retinal patterns 180 are only generated, for example, if the user has indicated to the device 4, by means of a signal, e.g. by means of an operating element (not shown) or through eye
 35 positioning via the above-mentioned optical interface, that he would like to

5

15

30

In step S4, the determined retinal patterns 180 are linked in a transaction record 190 with the object data 130 for the respective transaction object 110, made visible, as is shown in Figure 1. The object data 130 contain at least an object identification 131; they can also contain in addition an object provider identification 132, however. Shown schematically in Figure 2 is the transaction module 42 responsible for this operation. The transaction module 42 is implemented, for example, as a programmed software module on a processor of the device 4 or in hardware form, e.g. as an integrated circuit. The transaction module 42 also includes, for example, additional cryptographic functions, for electronically (digitally) signing the transaction record 190, for instance. Further customary functions, such as insertion of transaction numbers, can also be undertaken by the transaction module 42.

The transaction records 190 are passed on to a processing unit 23, 43 in step S5 for further processing. Shown schematically in Figure 2 are two different variants for the implementation of this processing unit 23, 43. In a first preferred variant, the processing unit 23 is located in the service center 2, and the transaction records 190 are transmitted to the service center 2 over the telecommunications network 3 by means of the communications module 41 of the device 4, and are received there by the communications module 21 and passed on to the processing unit 23. In a second variant, the processing unit 43 is located in the device 4, so that step S5, shown in Figure 1, can be carried out locally in the device 4.

Taken from the transaction record 190 in step S5 are the retinal patterns 180, 180' contained therein, according to Figure 1, and they are compared with retinal patterns 141 of user data records 140 from a user database 26 in order to determine the user data 150 associated with the respective user in the case of a match. Depending upon the embodiment, the retinal patterns can be stored, together with an associated user identification for the respective user, in a separate eye feature database 61, in particular a retina database, which is certified by a TTP unit 6 (Trusted Third Party), for instance, so that first the user identification is determined and then the user data associated with this user identification are obtained from a user database 26, which is administered, for example, by another unit, e.g. a telecommunications network operator. In the above-mentioned variant with the local processing unit 43, the device contains, for instance, local tables with user data records 140. It should be

mentioned here that there can be agreement with a predefined minimal required correlation value between the retinal patterns 180, 180' contained in the transaction records 190 and the stored retinal patterns 141 from the user database 26, or respectively from a retina database or a local table in the device 4. To carry out the comparison, the processing unit 23, 43 can also include picture processing functions, said processing unit being implemented in the service center 2, as a programmed software module on a processor of the service center 2, or respectively implemented in the device 4, on a processor of the device 4, or in hardware form, e.g. as an integrated circuit.

As illustrated in Figure 1, resulting from step S5 is a transaction data record 160 containing the transmitted object data 130 with the object identification 131 and, if applicable, the object provider identification 132, as well as the determined user data 150. The user data 150 contain, for instance, the name of the user identified through the retinal pattern 180, 180', 141, his delivery address, if applicable a payment mode and related payment data, for example payment by credit card and related credit card number or payment via bank account and related billing address, and possibly further indications about the user, for instance his preferred language.

The receipt of the transaction record 190, and if applicable the successful identification of the user on the basis of the eye features 180, 180' contained in the transaction record 190 can be confirmed to the user by the processing unit 23, 43, for example, and, depending upon the embodiment, the user can be given the possibility of continuing or stopping further processing of the transaction. The transaction data records 160 resulting from step S5 can be passed on by the processing unit 43 in the device 4, or respectively by the programmed forwarding module 22 in the service center 2, to the responsible units, for instance the transaction data records 160 can be transmitted over the telecommunications network 3 to the responsible object provider 7, or respectively service provider 7, where they are further processed without further participation of the service center 2 or the device 4, for example. To pass on the transaction data records 160 to respective object providers 7 identified by the object provider identification 132, the device 4 contains, for instance, tables with object provider data and the service center 2 includes an object provider database or respectively a service provider database 25.

As already mentioned above, in an alternative embodiment variant, the determination of the retinal pattern 180' from the reflection data 170 and the associated object picture data 120 can be carried out in the service center 2. This variant is illustrated in Figure 1 by the broken lines. The arrow with
 5 broken line 172 indicates that the captured reflection data 170 are sent on directly to step S4 (without carrying out step S3), and are linked together there with the object data 130 in a transaction record 190. In the alternative step S3', which is carried out in the retina determining module 24 of the service center 2, according to Figure 2, the retinal pattern 180' is generated from the reflection
 10 data 170, contained in the transaction record 190, and the associated object picture data 120, identified by the object identification 131 contained in the transaction record 190, in particular by means of a subtraction operation, and is passed on to the processing unit 23 for execution of step S5. The retina
 15 determining module 24 is, for example, a programmed software module implemented on a processor of the service center 2, or a hardware module, for instance an integrated circuit, or a combination of the two.

The service center 2 is implemented on one or more (networked) computers, and has in the communications module 21 all hardware and software components for communicating with other units over the
 20 telecommunications network 3, i.e. in particular for exchanging data, whereby it is to be mentioned that the telecommunications network 3 is shown only schematically in Figure 2 and can comprise, for example, various types of telecommunications networks, for instance fixed networks, e.g. the public switched telephone network, an ISDN network (Integrated Services Digital
 25 Network) or an IP network (Internet Protocol), and mobile networks, for instance GSM, UMTS or other, e.g. satellite-based, mobile radio networks.

The components of the device 4 can be integrated into a common housing. They can also be implemented in different housings connected to one another. For example, the communications module 41 in particular can be
 30 achieved through an already existing conventional communications terminal, for instance a communication-capable personal computer or in particular a mobile radio device, e.g. a mobile radio telephone or a communication-capable palmtop or laptop computer, which is connected to the other components of the device 4 via a wired or wireless interface. These other components of the
 35 device 4 can be designed, for example, in a housing or on a suitable carrier

such that they are able to be put on by the user like conventional spectacles. It should be mentioned here furthermore that in particular the components of the virtual retinal display device 46 with the scanner 47, but also, for instance, the transaction module 42, the retina determining module 44 and the data creating module 45 can be integrated on a common chip so that the steps S1, S2, S3 and S4 indicated in the figure can be executed by components of a single chip, which has in particular security advantages since the data records can be processed in a single chip in a way that cannot be manipulated and the resulting transaction record 190 can also be signed in this chip (electronically), for instance.

It should be stated here that, as already mentioned, the eye features need not be merely retinal patterns 180, 180', but can also be features of other eye parts, for instance patterns of the iris 53, and the object picture data 120 can be made visible not only through direct projection of corresponding picture signals 121 on the retina 51 of the user, but instead this can also be achieved through other conventional display methods, for example by means of picture tubes, LCD displays or other suitable stereoscopic displays. It should also be mentioned that other usual features in transaction methods such as, for example, encryption/decryption of data transmitted over telecommunications networks 3, authentication of the service center 2 and of other units taking part in the transaction, or protocols for order confirmation, billing or back-up/recovery procedures have not been gone into in detail in this description since these can be achieved by one skilled in the art in a known way.

Besides the sale or the leasing of described service centers 2 and/or fixed-installed devices 4 to interested operators and of described (in particular mobile) devices 4 to interested users, partial modules can also be sold to interested users, in particular the above-mentioned components which are implemented in a housing or on a suitable carrier and are able to be connected via a suitable interface to a conventional, already available communications terminal in order to extend the already available communications terminal to a described device 4. Furthermore the above-mentioned chips for producing devices 4 or the described partial modules can be sold to interested manufacturers. Operators of a service center 2 can be charged a fee, for example, by an object provider for each transaction made via their service center 2 relating to a transaction object 110 of this object provider 7.

Claims:

1. A transaction method in which object picture data (120) relating to a transaction object (110), for example a product or a service, are made visible to a user, in which eye features (180) of the user are determined and in which the
 5 determined eye features (180) are linked in a transaction record (190) to object data (130) relating to the transaction object (110) and containing at least an object identification (131) of the transaction object (110), and the transaction record (190) is transmitted to a processing unit (23, 43), wherein

the eye features (180) of the user are determined while the object picture
 10 data (120), made visible, is being viewed by the user.

2. The transaction method according to claim 1, wherein the object picture data (120) are made visible to the user by picture signals (121) corresponding to the object picture data (120) being projected directly on the retina (51) of the user.

15 3. The transaction method according to one of the claims 1 or 2, wherein the eye features (180) are determined by light (171) reflected by eye parts (51) being captured in at least a partial region of these eye parts (51) and being conducted to a light-sensitive element (472).

4. The transaction method according to one of the claims 2 or 3, wherein
 20 the eye features include at least the retinal pattern (180) of one retina (51) of the user, reflection data (170) are determined from the captured light (171), which light (171) is reflected by the retina (51) on the basis of the projected the picture signals (121), and the retinal pattern (180) is determined from the determined reflection data (170) and the associated the object picture data
 25 (120).

5. The transaction method according to one of the claims 2 or 3, wherein the eye features include at least the retinal pattern (180) of one retina (51) of the user, which retinal pattern (180) is determined from captured light (171), which light (171) is reflected by the retina (51) on the basis of projected light,
 30 which projected light contains other wavelengths than the picture signals (121).

6. The transaction method according to one of the claims 1 to 5, wherein

AMENDED PAGE

determined in the processing unit (23, 43) are user data (150), which are associated with the eye features (180).

7. The transaction method according to one of the claims 1 to 6, wherein the object data (130) further contain an object provider identification (132).

5 8. The transaction method according to one of the claims 1 to 7, wherein the transaction records (190) are transmitted via a telecommunications network (3) to a processing unit (23) in a service center (2).

9. The transaction method according to one of the claims 1 to 8, wherein the object picture data (120) are obtained from a service center (2) over a
10 telecommunications network (3).

10. A device (4) having display means (46) to make visible to a user object picture data (120) relating to a transaction object (110), for example a product or a service, which device includes means (47) for determining eye features (180) of the user and includes means (42) of linking in a transaction
15 record (190) the determined eye features (180) with object data (130) relating to the transaction object (110), the object data containing at least an object identification (131), and of forwarding the transaction record (190) to a processing unit, wherein

the device is designed such that the eye features (180) are determined
20 while the object picture data (120), made visible, are being viewed by the user.

11. The device (4) according to claim 10, wherein the display means (46) include a retinal display device, which retinal display device (46) makes visible to the user the object picture data (120) by projecting picture signals (121) corresponding to the object picture data (120) directly on the retina (51) of the
25 user.

12. The device (4) according to one of the claims 10 or 11, wherein the means for determining eye features (180) include a scanner (47) to capture light (171) reflected by eye parts (51) at least in a partial region of these eye parts (51).

30 13. The device (4) according to claim 12, wherein the scanner (47) is designed such that it captures at least the light (171) reflected by one retina

AMENDED PAGE

(51) of the user, which light (171) is reflected by the retina (51) on the basis of the projected the picture signals (121), and the device (4) includes a retina determining module (44) to determine at least the retinal pattern (180) of one retina (51) from captured reflection data (170) corresponding to the captured
 5 light (171) and from the associated the object picture data (120).

14. The device (4) according to claim 12, wherein the scanner (47) includes a light source, which light source beams light containing other wavelengths than the picture signals (121), and the scanner (47) is designed such that it captures at least the light (171) reflected by one retina (51) of the
 10 user, which light (171) is reflected by the retina (51) on the basis of projected light from the light source.

15. The device (4) according to one of the claims 10 to 14, wherein it includes the processing unit (43), which processing unit (43) determines user data (150) which are associated with the eye features (180).

16. The device (4) according to one of the claims 10 to 15, wherein it includes a communications module (41) to transmit the transaction records (190) via a telecommunications network (3) to a processing unit (23) in a service center (2).

17. The device according to claim 16, wherein the communications
 20 module (41) obtains the object picture data (120) from a service center (2, 7) via a telecommunications network (3).

List of Reference Numerals

2	service center
3	telecommunications network
4	device
5	eye
6	TTP unit (Trusted Third Party)
7	object provider (service provider)
14	user database
21	communications module
22	forwarding module
23	processing unit
24	retina determining module
25	object provider (service provider) database
26	user database
27	object database
41	communications module
42	transactions module
43	processing unit
44	retina determining module
45	data creation module
46	virtual retinal display device
47	scanner
51	retina
52	pupil
53	iris
54	projected/reflected picture point
61	eye feature database (retina database)
110	transaction object

120	object picture data
121	picture signals
130	object data
131	object identification
132	object provider identification
140	user data record
141	retina pattern
150	user data
160	transaction data record
170	reflection data
171	reflected light
172	arrow with broken line
180, 180'	retina pattern
190	transaction record
461	eye position determining module
471	beam splitter
472	light-sensitive element
S1-S5	steps



FIG. 1




FIG. 2

Declaration and Power of Attorney For Patent Application

Erklärung Für Patentanmeldungen Mit Vollmacht

German Language Declaration

Als nachstehend benannter Erfinder erkläre ich hiermit an Eides Statt:

dass mein Wohnsitz, meine Postanschrift, und meine Staatsangehörigkeit den im Nachstehenden nach meinem Namen aufgeführten Angaben entsprechen,

dass ich, nach bestem Wissen der ursprüngliche, erste und alleinige Erfinder (falls nachstehend nur ein Name angegeben ist) oder ein ursprünglicher, erster und Miterfinder (falls nachstehend mehrere Namen aufgeführt sind) des Gegenstandes bin, für den dieser Antrag gestellt wird und für den ein Patent beantragt wird für die Erfindung mit dem Titel:

deren Beschreibung

(zutreffendes ankreuzen)

☐ hier beigefügt ist.

☐ am _____ unter der

Anmeldungsseriennummer _____

eingereicht wurde und am _____
abgeändert wurde (falls tatsächlich abgeändert).

Ich bestätige hiermit, dass ich den Inhalt der obigen Patentanmeldung einschliesslich der Ansprüche durchgesehen und verstanden habe, die eventuell durch einen Zusatzantrag wie oben erwähnt abgeändert wurde.

Ich erkenne meine Pflicht zur Offenbarung irgendwelcher Informationen, die für die Prüfung der vorliegenden Anmeldung in Einklang mit Absatz 37, Bundesgesetzbuch, Paragraph 1.56(a) von Wichtigkeit sind, an.

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäss Abschnitt 35 der Zivilprozessordnung der Vereinigten Staaten, Paragraph 119 aller unten angegebenen Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde, und habe auch alle Auslandsanmeldungen für ein Patent oder eine Erfindersurkunde nachstehend gekennzeichnet, die ein Anmeldedatum haben, das vor dem Anmeldedatum der Anmeldung liegt, für die Priorität beansprucht wird.

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

Transaction Method and Devices Suitable

Therefor

the specification of which

(check one)

☒ is attached hereto.

☒ was filed on 22 July 1999 as

Application Serial No. PCT/CH 99/00338

and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

German Language Declaration

Ich beanspruche hiermit ausländische Prioritätsvorteile gemäß Title 35, US-Code, § 119 (a)-(d), bzw. § 365(b) aller unten aufgeführten Auslandsanmeldungen für Patente oder Erfinderurkunden, oder § 365(a) aller PCT internationalen Anmeldungen, welche wenigstens ein Land ausser den Vereinigten Staaten von Amerika benennen, und habe nachstehend durch ankreuzen sämtliche Auslandsanmeldungen für Patente bzw. Erfinderurkunden oder PCT internationale Anmeldungen angegeben, deren Anmeldetag dem der Anmeldung, für welche Priorität beansprucht wird, vorangeht.

Prior Foreign Applications
(Frühere ausländische Anmeldungen)

---	---
(Number)	(Country)
(Nummer)	(Land)

(Number)	(Country)
(Nummer)	(Land)

Ich beanspruche hiermit Prioritätsvorteile unter Title 35, US-Code, § 119(e) aller US-Hilfsanmeldungen wie unten aufgezählt.

(Application No.)	(Filing Date)
(Aktenzeichen)	(Anmeldetag)

(Application No.)	(Filing Date)
(Aktenzeichen)	(Anmeldetag)

Ich beanspruche hiermit die mir unter Title 35, US-Code, § 120 zustehenden Vorteile aller unten aufgeführten US-Patentanmeldungen bzw. § 365(c) aller PCT internationalen Anmeldungen, welche die Vereinigten Staaten von Amerika benennen, und erkenne, insofern der Gegenstand eines jeden früheren Anspruchs dieser Patentanmeldung nicht in einer US-Patentanmeldung, bzw. PCT internationalen Anmeldung in in einer gemäß dem ersten Absatz von Title 35, US-Code, § 112 vorgeschriebenen Art und Weise offenbart wurde, meine Pflicht zur Offenbarung jeglicher Informationen an, die zur Prüfung der Patentfähigkeit in Einklang mit Title 37, Code of Federal Regulations, § 1.56 von Belang sind und die im Zeitraum zwischen dem Anmeldetag der früheren Patentanmeldung und dem nationalen oder im Rahmen des Vertrags über die Zusammenarbeit auf dem Gebiet des Patentwesens (PCT) gültigen internationalen Anmeldetags bekannt geworden sind.

(Application No.)	(Filing Date)
(Aktenzeichen)	(Anmeldetag)

(Application No.)	(Filing Date)
(Aktenzeichen)	(Anmeldetag)

Ich erkläre hiermit, daß alle in der vorliegenden Erklärung von mir gemachten Angaben nach bestem Wissen und Gewissen der Wahrheit entsprechen, und ferner daß ich diese eidesstattliche Erklärung in Kenntnis dessen ablege, daß wissentlich und vorsätzlich falsche Angaben oder dergleichen gemäß § 1001, Title 18 des US-Code strafbar sind und mit Geldstrafe und/oder Gefängnis bestraft werden können und daß derartige wissentlich und vorsätzlich falsche Angaben die Rechtswirksamkeit der vorliegenden Patentanmeldung oder eines aufgrund deren erteilten Patentes gefährden können.

I hereby claim foreign priority under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Not Claimed
Priorität nicht beansprucht

---	<input type="checkbox"/>
(Day/Month/Year Filed)	
(Tag/Monat/Jahr der Anmeldung)	

(Day/Month/Year Filed)	<input type="checkbox"/>
(Tag/Monat/Jahr der Anmeldung)	

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

(Status) (patented, pending, abandoned)
(Status) (patentiert, schwebend, aufgegeben)

(Status) (patented, pending, abandoned)
(Status) (patentiert, schwebend, aufgegeben)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

German Language Declaration

VERTRETUNGSVOLLMACHT: Als benannter Erfinder beauftrage ich hiermit den nachstehend benannten Patentanwalt (oder die nachstehend benannten Patentanwälte) und/oder Patent-Agenten mit der Verfolgung der vorliegenden Patentanmeldung sowie mit der Abwicklung aller damit verbundenen Geschäfte vor dem Patent- und Warenzeichenamt: (Name und Registrationsnummer anführen)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Norman F. Oblon, Registration Number 24,618; Marvin J. Spivak, Registration Number 24,913; C. Irvin McClelland, Registration Number 21,124; Gregory J. Maier, Registration Number 25,599; Arthur I. Neustadt, Registration Number 24,854; Richard D. Kelly, Registration Number 27,757; James D. Hamilton, Registration Number 28,421; Eckhard H. Kuesters, Registration Number 28,870; Robert T. Pous, Registration Number 29,099; Charles L. Gholz, Registration Number 26,395; Vincent J. Sunderdick, Registration Number 29,004; William E. Beaumont, Registration Number 30,996; Steven B. Kelber, Registration Number 30,073; Robert F. Gnuse, Registration Number 27,295; Jean-Paul Lavalleye, Registration Number 31,451; Stephen G. Baxter, Registration Number 32,884; Martin M. Zoltick, Registration Number 35,745; Robert W. Hahl, Registration Number 33,893; Richard L. Treanor, Registration Number 36,379; Steven P. Weihrouch, Registration Number 32,829; John T. Goolkasian, Registration Number 26,142; Marc R. Labgold, Registration Number 34,651; William J. Healey, Registration Number 36,160; Richard L. Chinn, Registration Number 34,305; Steven E. Lipman, Registration Number 30,011; Carl E. Schlier, Registration Number 34,426; James J. Kulbaski, Registration Number 34,648; Catherine B. Richardson, Registration Number 39,007; Richard A. Neifeld, Registration Number 35,299; and J. Derek Mason, Registration Number 35,270; with full powers of substitution and revocation.

Telefongespräche bitte richten an:
(Name und Telefonnummer)



Direct Telephone Calls to: (name and telephone number)

(703) 413-3000

Postanschrift:

Send Correspondence to:

OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.
FOURTH FLOOR
1755 JEFFERSON DAVIS HIGHWAY
ARLINGTON, VIRGINIA 22202 U.S.A.

Voller Name des einzigen oder ursprünglichen Erfinders: <u>Eric LAUPER</u>		Full name of sole or first inventor	
Unterschrift des Erfinders 	Datum <u>30.11.01</u>	Inventor's signature	Date
Wohnsitz <u>3012 Bern (Switzerland) CHX</u>		Residence	
Staatsangehörigkeit <u>Switzerland</u>		Citizenship	
Postanschrift <u>Hochfeldstrasse 96</u>		Post Office Address	
<u>3012 Bern (Switzerland)</u>			
Voller Name des zweiten Miterfinders (falls zutreffend) <u>Rudolf RITTER</u>		Full name of second joint inventor, if any	
Unterschrift des Erfinders 	Datum <u>30.11.01</u>	Second Inventor's signature	Date
Wohnsitz <u>3052 Zollikofen (Switzerland) CHX</u>		Residence	
Staatsangehörigkeit <u>Switzerland</u>		Citizenship	
Postanschrift <u>Rossweidweg 8</u>		Post Office Address	
<u>3052 Zollikofen (Switzerland)</u>			

(Bitte entsprechende Informationen und Unterschriften im Falle von dritten und weiteren Miterfindern angeben).

(Supply similar information and signature for third and subsequent joint inventors.)